GENERAL INDEX TO VOLUME VI

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic;* and previously published scientific names and all other matter, in ordinary type.

A

Aleurodiscus tabacinus, 261
Algal flora, A subterranean, 281
Allen, E. R.: Some conditions affecting the growth and activities of Azotobacter chroococcum, 1; and Davisson, B. S. An all-glass nitrogen apparatus, 45
Allium Cepa, 310
Amidase in fungi, 197
Amino-nitrogen, determination of, 75
Ammonia, determination of, 75
Anabaena sp., 302
Apparatus: nitrogen-distilling, *24;* an all-glass nitrogen, 45, *48*
Arcangeliella, 49; Borziana, 49, 53; **caudata**, 49, 51; **Soderstromii**, 52
Arcangeliella, Gymnomyces, and Macowanites in North America, 49
Armillaria mellea, enzyme action in, 193
Aspergillus glaucus, growth of, in mixed cultures, 183, *192*
Aspergillus niger: germination and hydrogen ion concentration of, 207; growth of, in mixed cultures, 183, *192*
Atkinsonii (Lachnocladium), 277
Auximones, 6
Azotobacter chroococcum: in relation to wood decay induced by fungi, 116; Some conditions affecting the growth and activities of, 1, *44*

B

Bacillus radicicola, 1
Bacillus species in relation to wood decay induced by fungi, 116
Bacteria: nitrifying, 1; nitrogen-fixing, 1; The relation of, to cellulose fermentation induced by fungi, with special reference to the decay of wood, 93
Bacterium mycoides in relation to wood decay induced by fungi, 116
Berkeleyi (Veluticeps), 260
bicolor (Lachnocladium), 274
bicolor (Clavaria), 274
bicolor (*Clavaria*), 274
Biological fluids, pigmented, and H ion determination, 61, 179
Bonia, 262
Bonia, 261; *flava*, 262
Botrytis cinerea, germination and hydrogen ion concentration of, 207
brasiliense (Lachnocladium), 268, *280*
brasiliensis (Protomerulius), 175
brunneoleuca (Mycobonia), 263
brunneoleucum (*Hydnum*), 263
Burt, E. A. An edible garden Hebeloma, 171; Merulius in North America, supplementary notes, 143; Protomerulius Farlowii Burt, n. sp., 175; The Thelephoraceae of North America, XI, 253

C

Calcium hypochlorite solution, treatment of seeds with, 151
Carbohydrases in fungi, 194
Carboxyl groups: determination of, 76; fate of, 84
cartilagineum (Lachnocladium), 269, *280*
Cellulose fermentation, relation of bacteria to, 93
cervina (*Clavaria*), 273
cervinum (Lachnocladium), 273, *280*
Chelidonium majus, 312
Cladophora sp., 286
Clavaria, 267; bicolor, 274; *bicolor*, 274; *cervina*, 273; *fragrans*, 270; *furcellata*, 274; *pallida*, 273; *Peckii*, 274; *vestipes*, 274
Colletotrichum lindemuthianum, germination and hydrogen ion concentration of, 207
Colloids, protective, in nutrient media, 35
Colorimeter, The use of the, in the indicator method of H ion determination with biological fluids, 61
Coniophora cerebella: growth of, in mixed cultures, 183; growth of, on liquid media, 138
Corticium incarnatum pinicolum, 256; roseolum, 256; *tabacinum*, 261
Culture experiments with Melampsora in Japan, 309
Cultures: mixed, 183, *192;* subterranean, methods of obtaining, 284, algae found in, 304, artificial, 305

D

Daedalea confragosa: enzyme action in, 193; growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Daedalea quercina: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Davis, Anne W., Duggar, B. M., and. Seed disinfection for pure culture work: the use of hypochlorites, 159
Davisson, B. S., Allen, E. R. and. An all-glass nitrogen apparatus, 45
Deamination in the tyrosinase reaction, 80
Diastase activity in relation to stage of development and carbohydrate content of the tuber of Solanum tuberosum, 223
Disinfection, seed, 147, 159
Dodge, C. W.: Tyrosin in the fungi: chemistry and methods of studying the tyrosinase reaction, 77; Duggar, B. M., and. The use of the colorimeter in the indicator method of H ion determination with biological fluids, 61; Zeller, S. M., and. Arcangeliella, Gymnomyces, and Macowanites in North America, 49
Dubosq colorimeter, 179
Duggar, B. M.: The micro-colorimeter in the indicator method of hydrogen ion determination, 179; and Davis, Anne W. Seed disinfection for pure culture work: the use of hypochlorites, 159; and Dodge, C. W. The use of the colorimeter in the indicator method of H ion determination with biological fluids, 61; Zeller, S. M., Schmitz, H., and. Studies in the physiology of the fungi. VII, Growth of wood-destroying fungi on liquid media, 137
Dussii (Epithele), 265
Dussii (*Hypochnus*), 265
Dussii (*Peniophora*), 265

E

Eichleriana (Tulasnella), 255
Emulsin in fungi, 196
Enzyme action: and tuber development, 223; in Armillaria mellea Vahl, Daedalea confragosa (Bolt.) Fr., and Polyporus lucidus (Leys.) Fr., 193
Epithele, 264; Dussii, 265; **sulphurea,** 265
Epithele, 264
erectum (Lachnocladium), 276, *280*
Eriocladus, 266
Esterases in fungi, 194

F

Farlowii (Protomerulius), 176
flava (*Bonia*), 262
flava (Mycobonia), 262
flava (*Peziza*), 262
flavum (*Grandinioides*), 262, 264
flavum (*Hydnum*), 262
Fomes pinicola in relation to decay of wood, 112
Formaldehyde, treatment of seeds with, 153
fragrans (*Clavaria*), 270
Fungi: enzyme action in certain, 193; germination of spores of, in relation to H ion concentration, 201; mixed cultures of, 183; relation of bacteria to cellulose fermentation induced by, 93; Studies in the physiology of the, VI, 93, VII, 137, VIII, 183, IX, 193, X, 201; Tyrosin in the, 71; wood-destroying, on liquid media, 137
furcellata (*Clavaria*), 274
furcellatum (Lachnocladium), 274, *280*
Fusarium sp., germination and hydrogen ion concentration of, 207
fusco-violacea (Tulasnella), 258

G

Germination of the spores of certain fungi in relation to hydrogen ion concentration, 201
Grandinioides, 262; *flavum,* 262, 264
guadalupensis (*Pterula*), 277
guadelupense (Lachnocladium), 277
guadelupense (*Merisma*), 277
Gymnomyces, 54; **Gardneri,** 54; pallidus, 54, 55; seminudus, 54, 56

H

Hantzschia amphioxys, 296
Hebeloma, an edible garden, 171
Hebeloma **hortense,** 172, *174*
hortense (Hebeloma), 172, *174*
Hydnangium Soderstromii, 52
Hydnum brunneoleucum, 263; *flavum,* 262
Hydrogen: electrode, 61; ion concentration, germination of the spores of certain fungi in relation to, 201, relation between, and growth of fungi in mixed cultures, 188; ion determination, the use of the colorimeter in the indicator method, with biological fluids, 61, micro-colorimeter in the indicator method of, 179
Hymenochaete veluticeps, 260
Hypochlorites in seed disinfection, 159
Hypochnus Dussii, 265; *violeus,* 256

I

incarnata (Pachysterigmata), 256
incarnata (*Tulasnella*), 256
incarnatum pinicolum (*Corticium*), 256
Indicator method of H ion determination, 61, 179
Isaria sp., growth of, in mixed cultures, 183, *192*

K

Karrer, J. L., Moore, G. T., and. A subterranean algal flora, 281
Kober colorimeter, 66, 181

L

Lachnocladium, 266; Atkinsonii, 277, bicolor, 274, *280;* brasiliense, 268, *280;* cartilagineum, 269, *280;* cervinum, 273, *280;* erectum, 276, *280;* furcellatum, 274, *280;* guadelupense, 277; Micheneri, 270, *280;* odoratum, 278; *odoratum*, 270; *pallidum*, 273; semivestitum, 271, *280;* subsimile, 272, *280*
Larix decidua, 310; leptolepis, 313
Lentinus lepideus: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Lenzites saepiaria, germination and hydrogen ion concentration of, 207
Lenzites vialis: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138; in relation to decay of wood, 112

M

McGinty, R. A. Diastase activity in relation to stage of development and carbohydrate content of the tuber of Solanum tuberosum, 223
Macowania, 56
Macowania, 56; *agaricina*, 58
Macowanites, 56; agaricinus, 56, 58; echinosporus, 57
Matsumoto, T. Culture experiments with Melampsora in Japan, 309
Media, liquid, growth of wood-destroying fungi on, 137
Melampsora, 309; Larici-daphnoides, 309; Larici-epitea, 309; Larici-Miyabeana, 309; Larici-opaca, 309; Larici-pentandrae, 312; Larici-populina, 314; Larici-Urbaniana, 311; yezoensis, 309
Mercuric chloride, treatment of seeds with, 156
Merisma, 267
Merisma guadelupense, 277
Merulius hirsutus, 145; incarnatus, 143; lacrymans, 145, growth of, in mixed cultures, 183, *192*, growth of, on liquid media, 138; pinastri, growth of, in mixed cultures, 183, *192*, growth of, in liquid media, 138; rimosus, 145; rubellus, 143, 145
Micheneri (Lachnocladium), 270, *280*
Micro-colorimeter, The, in the indicator method of hydrogen ion determination, 179
Moore, G. T. and Karrer, J. L. A subterranean algal flora, 281
Mycobonia, 253, 261; brunneoleuca, 263; flava, 262

N

Navicula atemoides, 296
Nitrogen: apparatus, 24, An all-glass, 45, *48;* fixation by Azotobacter chroococcum, 15; methods, 23
Nitzschia Kützingiana, 296
Nostoc muscorum, 296

O

odoratum (Lachnocladium), 278
odoratum (*Lachnocladium*), 270
Oscillatoria amphibia, 296; anoema, 296; chlorina, 296; formosa, 296; splendida, 296; subtilissima, 296

P

Pachysterigma, 253
Pachysterigmata incarnata, 256
pallida (*Clavaria*), 273
pallidum (*Lachnocladium*), 273
Peckii (*Clavaria*), 274
Penicillium cyclopium, germination and hydrogen ion concentration of, 207
Peniophora Dussii, 265
Peziza flava, 262
Phenol groups: determination of, 76; fate of, 84
Pleurotus sapidus: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Polyporus lucidus: enzyme action in, 193; growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Polystictus hirsutus: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Polystictus versicolor: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138; in relation to decay of wood, 112
Populus balsamifera, 312
Proteases in fungi, 198
Protoderma viride, 286
Protomerulius brasiliensis, 175; Farlowii, 175, 177

Prototremella, 253; *Tulasnei*, 256
Pterula, 267; setosa, 278; *guadalupensis*, 277

R

Ribes grossularia, 313
roseolum (Corticium), 256

S

Salix babylonica, 314; Caprasa, 315; daphnoides, 309; jessoensis, 309; Miyabeana, 309; opaca, 309; Urbaniana, 310; viminalis, 309
Schmitz, H.: Studies in the physiology of the fungi. VI, The relation of bacteria to cellulose fermentation induced by fungi, with special reference to the decay of wood, 93; Zeller, S. M., and. Studies in the physiology of the fungi. VIII, Mixed cultures, 183; and S. M. Zeller. Studies in the physiology of the fungi. IX, Enzyme action in Armillaria mellea Vahl, Daedalea confragosa (Bolt.) Fr., and Polyporus lucidus (Leys.) Fr., 193; Zeller, S. M., Duggar, B. M., and. Studies in the physiology of the fungi. VII, Growth of wood-destroying fungi on liquid media, 137
Scytonema Hofmanni, 296
Seed disinfection for pure culture work, 147, 159
semivestitum (Lachnocladium), 271, *280*
setosa (Pterula), 278
Solanum tuberosum, diastase activity in relation to stage of development and carbohydrate content of the tuber of, 223
Spore germination and H ion concentration, 201
Standard solutions, 62
Stichococcus bacillaris, 286
Studies in the physiology of the fungi. VI, The relation of bacteria to cellulose fermentation induced by fungi with special reference to the decay of wood, 93; VII, Growth of wood-destroying fungi on liquid media, 137; VIII, Mixed cultures, 183; IX, Enzyme action in Armillaria mellea Vahl, Daedalea confragosa (Bolt.) Fr., and Polyporus lucidus (Leys.) Fr., 193; X, Germination of the spores of certain fungi in relation to hydrogen ion concentration, 201
subsimile (Lachnocladium), 272, *280*
Sugar determination, 21, 241
sulphurea (Epithele), 265

T

tabacina (Veluticeps), 261
tabacinum (*Corticium*), 261
tabacinus (*Aleurodiscus*), 261
Tannase in fungi, 196
Thelephoraceae of North America, The, XI, 253
Trametes Peckii: growth of, in mixed cultures, 183, *192;* growth of, on liquid media, 138
Trochiscia, 286
Tulasnei (*Prototremella*), 256
Tulasnei (*Tulasnella*), 256
Tulasnella, 253; Eichleriana, 255; fusco-violacea, 258; *incarnata*, 256; *Tulasnei*, 256; violea, 256
Tyrosin in the fungi: chemistry and methods of studying the tyrosinase reaction, 71
Tyrosinase reaction, 71

U

Ulothrix variabilis, 286
Urease in fungi, 197

V

Veluticeps, 253, 259; Berkeleyi, 261; tabacina, 261
Veluticeps, 259
veluticeps (*Hymenochaete*), 260
vestipes (*Clavaria*), 274
violea (Tulasnella), 256
violeus (*Hypochnus*), 256

W

Webb, R. W. Studies in the physiology of the fungi. X, Germination of the spores of certain fungi in relation to hydrogen ion concentration, 201
Wood: decay induced by fungi, 93; effects of autoclaving, 94
Wood-destroying fungi: enzyme action in, 195; on liquid media, 137

Y

Young, H. C. Seed disinfection for pure culture work, 147

Z

Zeller, S. M.: and Dodge, C. W. Arcangeliella, Gymnomyces, and Macowanites in North America, 49; and Schmitz, H. Studies in the physiology of the fungi. VIII, Mixed cultures, 183; Schmitz, H., and. Studies in the physiology of the fungi. IX, Enzyme action in Armillaria mellea Vahl, Daedalea confragosa (Bolt.) Fr., and Polyporus lucidus (Leys.) Fr., 193; Schmitz, H., and Duggar, B. M. Studies in the physiology of the fungi. VII, Growth of wood-destroying fungi on liquid media, 137